



Media Technology & Solutions Pvt. Ltd.

Inventory Catalogue

Email: info@sslmediatech.com | Tel: 022-23811823 | Mob: +91- 9820022984

HYL 10R Sharpy



The SSL 10R Sharpy, a powerhouse beam light that is ready to illuminate any stage or event. Equipped with an electronic ballast and a projection bulb with a power of 200W, this fixture delivers a dazzling color temperature of 8000K, surpassing even higher-wattage beam lights.

The DMX512 control signal allows for seamless communication with lighting consoles, providing you with precise control over its impressive range of features.

Experience more power, more versatility, and more innovation with the SSL 10R Sharpy. Whether you're lighting up stages, events, or any other entertainment setting, this cutting-edge beam light promises to elevate your lighting experience to the next level



Technical Specifications

Specification	Details
Lamp	Phillips 200W
Color Temperature	8000K
Control Mode	DMX512
Channel	16CH
Single input	3 Core XLR
Single Output	3 Cores XLR
Pan scan	540° (16bit) Electric correction
Tilt scan	270° (16bit) Electric correction
Color Wheel	14 Color + White, Single rotation rainbow effect, two models changing (Full color and Half color operating)
Gobo	8 gobos + white, Double rotation rainbow effect
Strobe	13t/free strobe and Pulse strobe
Controller function	Controller can be with reset function
Vertical angle	0°~270°
Stepping mode	255 user-programmable steps without DMX controller mode
Pattern	Automatic pattern/sound activate/master-slave control/DMX
The largest external temperature	40°
Cooling System	Fan
Prism	8-Facet Rotating Prism
Dimmer	Mechanical
Ballast	Electronic
Brightness	Unprecedented Brightness compared to wattages
Other	Frost Filter Rapid and extensive pan and tilt movements Eco-friendly: Replaces far larger and more expensive spotlights