



Media Technology & Solutions Pvt. Ltd.

Inventory Catalogue

Email: info@sslmediatech.com | Tel: 022-23811823 | Mob: +91- 9820022984

SSL 350W Follow Spot

The "SSL 330W Follow" is a powerful and reliable follow-spot light designed to elevate your stage performances and events. It provides exceptional color temperatures of 3200K with manual adjustment.

With a zoom angle that can be easily adjusted between 4° and 12°, the SSL 330W Follow allows precise control over the beam width, catering to various applications. Its variable electronic dimmer enables seamless intensity adjustment from 0% to 100%, giving you ultimate control over your lighting design.

Experience smooth movement and precise positioning with the SSL 330W Follow's versatile operating position. Whether in theaters, concerts, live events, or broadcasts, this spotlight guarantees exceptional performance, illuminating your stage with unmatched brilliance



Technical Specifications

Parameter	Specification
Rated consumption	400W
Lamp	330W
Average life	1500 Hours
Fixture dimension	866 X 400 X 404 mm
Weight	22.5 KG
Dimmer	Manually linear dimmer, smooth and even dimming through the whole dimming range 0-100%
Frost	Frost filter, impart frosted effect to light beam.
Iris	Manually mechanical iris, used to regulate spot diameter.
Beam shaper	Beam shaper system, cut light beam vertically on both sides.
Focus	Focusing optics can be used to sharpen the casting beam.
Zoom	Zooming range: 4* to 12°
Gobo	Manually replace gobos.
Color temperature	Standard Color temperature 3200K, manually adjustment.
Color changer	Color changer, designated with 5 color paper clips which are intended for changing colors of the casting beam by interchanging preset color papers.