



Media Technology & Solutions Pvt. Ltd.

# Inventory Catalogue

Email: [info@sslmediatech.com](mailto:info@sslmediatech.com) | Tel: 022-23811823 | Mob: +91- 9820022984





## Full Color LED Strobe

Introducing the SSL RGB LED Strobe, the ultimate lighting fixture designed to deliver powerful and captivating strobe effects for your events and performances. With 1000 PCS of high brightness LED5054 SMD in a 3-in-1 configuration, this strobe light offers an impressive 1000W output, giving you precise control over frequency, duration, and intensity.

Versatility meets simplicity with 16CH/6CH modes and 5 zones for flexible control options, allowing seamless integration into your lighting setup. Whether you choose DMX, Sound, or Auto mode, the SSL RGB LED Strobe promises a dynamic and visually stunning experience.

With its robust construction, easy rigging, and smooth 0-100% linear electronic dimming, this strobe light ensures a hassle-free setup and operation. Add an electrifying touch to concerts, events, theaters, and more with the SSL RGB LED Strobe – the ultimate lighting solution to captivate your audience and elevate your performances.



Media Technology & Solutions

Email: [info@sslmediatech.com](mailto:info@sslmediatech.com)

Tel: 022-23811823

Mob: +91- 9820022984

## Technical Specifications

Specification	Details
Voltage	AC100~240V 50/60HZ
Power	38V/280W
Lamp Beads	864 5050 three color LED lamp beads + 96 white LEDs
Control mode	DMX512, self-propelled, master-slave, Voice control with RDM function CH4, CH11, CH32, CH39
Dimming	32bit 0~100% linear dimming
Feature	8+8 section horse running + dyeing + Flash
Operating temperature	30°C - 50°C
Stroboscopic Frequency	1~30Hz
Appearance	Metal Black
Connection mode	DMX512 input/output/power input/output
IP class	IP20