Media Technology & Solutions Pvt. Ltd.

# Inventory Catalogue

Email: info@sslmediatech.com | Tel: 022-23811823 | Mob: +91- 9820022984

## SSL Indigo Zoom Wash

The SSL Indigo Zoom is a powerful LED moving head wash fixture designed to elevate your lighting design to new levels of creativity. With 22 Red, 23 Green, 22 Blue, 12 White, and 12 Amber LED lamp beads, this fixture offers 16.7 million RGB colors for captivating lighting effects.

Experience stunning illumination with a maximum flux of 3351lm and peak intensity of 217523cd (at 8° zoom position). Adjust the lighting intensity seamlessly with the 0-100% linear electronic dimmer and create captivating lighting effects with the strobe function (0-20Hz) and electronic zoom  $(8^{\circ} 40^{\circ})$ .

Illuminate your stage with the SSL Indigo Zoom and let its powerful and dynamic performance bring your vision to life.



#### **Technical Specifications**

Category	Specification	Description
Light Source	LED Quantity	22x Red 23x Green 22x Blue 12x White 12x Amber
	Drive Current	500/700/1000mA
	Color Range	16.7 million additive RGB colors with full saturation and 21 SILVERSTAR color depth control
Electrical	Input Voltage	100~240V50/60Hz
	Max. Power	310W
Control	On-board	Display for Auto and Custom control
	Protocol	DMX512
	Personality	Advanced (15CHS) / Basic (12CHS) / GI (15CHS)
Movement	Pan	540°
	Tilt	270°
	Pan/Tilt Resolution	8-16 bit
	Special	Pan/Tilt movement blackout User-selectable pan/tilt ranges




Media Technology & Solutions

Physical	Dimensions	339x252x361mm
	Weight	11Kg
	Housing	Flame-retardant plastic (V0)
	Color	Black
	Fixture Connection	Data in/out, Power in
	Cooling	Forced Convection
Certification and Safety	Certification:	CE, cETL
	Environment:	Dry Location
	Operation Temperature	-20°C ~ 45°C
Output	Max. Flux	3351lm
	Peak Intensity	217523cd (at 8° zoom position)
Optical System	Dimmer	0-100%
	Strobe	0-20Hz
	Electronic Zoom	8°~40°



### Intensity Distribution



Average Beam Angle (50%): 7.2°

#### **Photometrics**

