



Media Technology & Solutions Pvt. Ltd.

Inventory Catalogue

Email: info@sslmediatech.com | Tel: 022-23811823 | Mob: +91- 9820022984



SSL 12x40W Zooming Batten

The SSL 12x40W Zooming Batten is a powerful and versatile lighting solution designed to meet the demands of dynamic stage and event productions. This innovative fixture harnesses the brilliance of twelve high-performance 40W LED units, ensuring vivid and vibrant illumination. With a wide beam angle range from 5° to 60°, it offers exceptional flexibility to adapt to various lighting requirements. Its robust optical system is engineered for precision, with a dimming capability ranges from 0% to 100%, allowing for seamless transitions in lighting intensity.

Equipped with a user-friendly digital display, the SSL Batten offers multiple control options, including DMX512, auto-run, master-slave, and music synchronization. This ensures ease of operation and seamless integration into any lighting setup. With an IP20 rating, it's suitable for indoor applications, providing reliable performance in a controlled environment.

Elevate your lighting experience with the SSL 12x40W Zooming Batten. Whether for concerts, theatrical productions, or dynamic events, this fixture promises to deliver powerful, reliable, and visually stunning illumination every time. Invest in this exceptional lighting instrument and experience a new level of creativity and control in your lighting designs.



Media Technology & Solutions

Email: info@sslmediatech.com

Tel: 022-23811823

Mob: +91- 9820022984

Technical Specifications

Optical System

Parameter	Specification
Light Source	12 PCS * 40 W LED 4 IN 1
Power Consumption	500W
Voltage	AC100V~250V 50 - 60HZ
Beam Angle	5°-60°

Control

Parameter	Specification
Display	Digital Display
DMX Channel	16/58 Channel
Control	DMX512 / Auto Run / Master-Slave / Music

Features

Parameter	Specification
IP Rating	IP20
Dimmer	0-100% Dimmable
Light Bead Life	>1,000,000 Hours
Strobe	1-25 Times / Second

Physical Specifications

Parameter	Specification
Dimensions	102 * 11 * 30 CM
Net Weight	16.5 KGS
Gross Weight	17 KGS